


Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

Packaged Product: C0727			
CALCIUM HYDROXIDE LAB GRADE POWDER			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	95 - 100.5%		97.1%
PASSING 325 MESH	MIN 96.5 325 MESH		98.6%
MOISTURE,%	MAX 1.0% MOISTURE		0.4%
FLUORIDE (F)	MAX 50 PPM FLUORIDE		< 50 PPM
INSOLUBLES,% GUARANTEED	MAX 0.5% INSOLUBLES		< 0.5%
HEAVY METAL (AS PB)	MAX 30 PPM HVY MTL		< 20 PPM
LEAD (PB) CONTENT	MAX 10 PPM LEAD		< 2 PPM
% MAG. & ALKALI SALTS	MAX 4.8% % MAG		< 4.8%
ARSENIC CONTENT	MAX 3.0 PPM ARSENIC		< 3.0 PPM
CARBONATE AS NA2CO3	PASSES TEST CARBONATE		PASSES TEST
APPEARANCE AND COLOR	WHITE POWDER APPEARANCE		WHITE POWDER
Lot #	420401		
Made			



Quality Manager
Aqua Solutions, Inc.