

# SAFETY DATA SHEET

### 1. Identification

Product identifier LEAD, 1,000 ppm STANDARD SOLUTION

Other means of identification

Product code 750

**Recommended use** professional, scientific and technical activities: other professional, scientific and technical activities

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Manufacturer** 

Company name GFS Chemicals, Inc.
Address P.O. Box 245

Powell, OH 43065 United States

**Telephone** Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

**Emergency phone** Emergency Assistance Chemtrec 800-424-9300

number

## 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A
Reproductive toxicity Category 1
Specific target organ toxicity, repeated Category 2

exposure

**Environmental hazards** Not classified. **OSHA defined hazards** Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** Causes skin irritation. Causes serious eye irritation. May damage fertility or the unborn child. May

cause damage to organs through prolonged or repeated exposure.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection.

**Response** IF ON SKIN: Wash with plenty of soap and water. If in eyes: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Immediately call a POISON CENTER or doctor/physician. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

**Storage** Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

Material name: LEAD, 1,000 ppm STANDARD SOLUTION

750 Version #: 01 Revision date: Issue date: June-15-2015 1 / 8

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
WATER		7732-18-5	98.15
NITRIC ACID		7697-37-2	1 - < 3
LEAD NITRATE		10099-74-8	0.16

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes, Remove contact lenses, if **Eye contact** 

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

**Indication of immediate** 

medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.

Symptoms may be delayed.

**General information** IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Move containers from fire area if you can do so without risk.

Do not use water jet as an extinguisher, as this will spread the fire.

attendance.

## 5. Fire-fighting measures

Suitable extinguishing media

**Unsuitable extinguishing** 

media

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

**Special protective equipment** and precautions for

firefighters

Fire fighting equipment/instructions

**Specific methods** 

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**General fire hazards** No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation, Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

Material name: LEAD, 1,000 ppm STANDARD SOLUTION 750 Version #: 01 Revision date: Issue date: June-15-2015 2/8

### 7. Handling and storage

Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal

protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	Туре	Value	
NITRIC ACID (CAS 7697-37-2)	PEL	5 mg/m3	
		2 ppm	
<b>US. ACGIH Threshold Limit </b>	Values		
Components	Туре	Value	
NITRIC ACID (CAS 7697-37-2)	STEL	4 ppm	
	TWA	2 ppm	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	
NITRIC ACID (CAS 7697-37-2)	STEL	10 mg/m3	
,		4 ppm	
	TWA	5 mg/m3	
		2 ppm	

Biological limit values

**Appropriate engineering** 

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** Chemical respirator with organic vapor cartridge and full facepiece.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

**Appearance** 

Physical state
Form
Liquid.
Color
Colorless.
Odor
Not available.
PH
Not available.

Melting point/freezing point
Initial boiling point and

32 °F (0 °C) estimated

boiling range

212 °F (100 °C) estimated

Flash point

Not available.

Material name: LEAD, 1,000 ppm STANDARD SOLUTION

750 Version #: 01 Revision date: Issue date: June-15-2015 3 / 8

**Evaporation rate** Not available. Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit -

Flammability limit - lower

upper (%)

Not available.

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Not available. Vapor pressure Vapor density Not available. **Relative density** Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Density** 1.03 g/cm3 estimated Percent volatile 98 % estimated Specific gravity 1.03 estimated

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** May cause damage to organs through prolonged or repeated exposure by inhalation. Prolonged

inhalation may be harmful.

Skin contact Causes skin irritation.

**Eye contact** Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

# Information on toxicological effects

#### **Acute toxicity**

Product	Species	Test Results
LEAD, 1,000 ppm STAND	ARD SOLUTION (CAS Mixture)	
Acute		
Inhalation		
LC50	Mouse	14437.8701 mg/l, 30 Minutes estimated
		3964.4971 mg/l, 4 Hours estimated
		3116 mg/l
	Rat	8165.6807 mg/l, 30 Minutes estimated

Material name: LEAD, 1,000 ppm STANDARD SOLUTION

750 Version #: 01 Revision date: Issue date: June-15-2015 4/8

Product	Species	Test Results
		3913 mg/l
		3846.1538 mg/l, 4 Hours estimated
Other		
LD50	Mouse	46250 mg/kg estimated
	Rat	58125 mg/kg estimated
Components	Species	Test Results
LEAD NITRATE (CAS 10099-	-74-8)	
Acute		
Other		
LD50	Mouse	74 mg/kg
	Rat	93 mg/kg
NITRIC ACID (CAS 7697-37-	-2)	
Acute		
Inhalation		
LC50	Mouse	244 mg/l, 30 Minutes
		67 mg/l, 4 Hours
	Rat	334 mg/l, 30 Minutes
		244 mg/l, 30 Minutes
		138 mg/l, 30 Minutes
		65 mg/l, 4 Hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Reproductive toxicity** May damage fertility or the unborn child.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated

exposure.

## 12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
LEAD, 1,000 ppm STA	NDARD SOLUTION	(CAS Mixture)	
Aquatic			
Crustacea	EC50	Daphnia	5661.375 mg/l, 48 hours estimated
Fish	LC50	Fish	99360.0313 mg/l, 96 hours estimated
Components		Species	Test Results
LEAD NITRATE (CAS	10099-74-8)		
Aquatic			
Crustacea	EC50	Tubificid worm (Tubifex tubifex)	0.107 - 0.184 mg/l, 48 hours

750 Version #: 01 Revision date: Issue date: June-15-2015 5 / 8

Components		Species	Test Results
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	1 mg/l, 96 hours
NITRIC ACID (CAS 76	97-37-2)		
Aquatic			
Crustacea	LC50	Cockle (Cerastoderma edule)	330 - 1000 mg/l, 48 hours
		Green or Europeon shore crab (Carcinus maenas)	180 mg/l, 48 hours
Fish	LC50	Starfish (Asterias rubens)	100 - 330 mg/l, 48 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.

**Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

### **DOT**

UN number UN3264

**UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s. (NITRIC ACID RQ = 59172 LBS)

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group I

**Special precautions for** 

user

Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** A6, B10, T14, TP2, TP27

Packaging exceptionsNonePackaging non bulk201Packaging bulk243

**IATA** 

UN number UN3264

**UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s. (NITRIC ACID)

Transport hazard class(es)
Class 8
Subsidiary risk -

Subsidiary risk Packing group I
Environmental hazards No.
ERG Code 8L

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Other information

D-----

Passenger and cargo Allowed.

aircraft

Cargo aircraft only Allowed.

Material name: LEAD, 1,000 ppm STANDARD SOLUTION

**IMDG** 

UN number UN3264

UN proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

Transport hazard class(es)

Class 8 Subsidiary risk **Packing group** Ι **Environmental hazards** 

Marine pollutant No. **EmS** F-A, S-B

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not established. Annex II of MARPOL 73/78

and the IBC Code

DOT



#### IATA; IMDG



# 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

LEAD NITRATE (CAS 10099-74-8) Listed. NITRIC ACID (CAS 7697-37-2) Listed.

**SARA 304 Emergency release notification** 

NITRIC ACID (CAS 7697-37-2) 1000 LBS

Superfund Amendments and Reauthorization Act of 1986 (SARA) **Hazard categories** 

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
---------------	------------	---------------------	-----------------------------	--	--

NITRIC ACID 7697-37-2 1000 1000 lbs No

**SARA 311/312 Hazardous chemical** 

Material name: LEAD, 1,000 ppm STANDARD SOLUTION

750 Version #: 01 Revision date: Issue date: June-15-2015 7/8 SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
NITRIC ACID	7697-37-2	1 - < 3	

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

NITRIC ACID (CAS 7697-37-2)

Safe Drinking Water Act Not regulated.

(SDWA)

### **US state regulations**

## US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Massachusetts RTK - Substance List**

LEAD NITRATE (CAS 10099-74-8) NITRIC ACID (CAS 7697-37-2)

#### **US. New Jersey Worker and Community Right-to-Know Act**

LEAD NITRATE (CAS 10099-74-8) NITRIC ACID (CAS 7697-37-2)

## US. Pennsylvania Worker and Community Right-to-Know Law

LEAD NITRATE (CAS 10099-74-8) NITRIC ACID (CAS 7697-37-2)

#### **US. Rhode Island RTK**

LEAD NITRATE (CAS 10099-74-8) NITRIC ACID (CAS 7697-37-2)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

#### 16. Other information, including date of preparation or last revision

**Issue date** June-15-2015

Version # 01

**Disclaimer** GFS Chemicals cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

**Revision Information** Composition / Information on Ingredients: Ingredients

Physical & Chemical Properties: Multiple Properties

Transport Information: Proper Shipping Name/Packing Group

750 Version #: 01 Revision date: Issue date: June-15-2015 8 / 8

Material name: LEAD, 1,000 ppm STANDARD SOLUTION