



Copper, Granular, (20-30 Mesh)

BAKER ANALYZED[®] Reagent
Formerly C.P.

Product No. 1720
Lot No. L05597
Release Date 02/01/2012

Certificate of Analysis

TEST	SPECIFICATION	RESULT
Assay (Cu)	99.5 % min.	99.9 %
Insoluble in HNO ₃	0.05 % max.	< 0.002 %
Antimony and Tin (as Sn)	0.05 % max.	< 0.05 %
Arsenic (As)	0.001 % max.	< 0.001 %
Iron (Fe)	0.01 % max.	< 0.001 %
Lead (Pb)	0.005 % max.	< 0.0005 %
Mesh:		
Thru U.S. No. 20 Sieve	99 % min.	100 %
on U.S. No. 30 Sieve	95 % min.	100 %

For Laboratory, Research or Manufacturing Use

Country of Origin: USA



Phillipsburg, NJ 9001.2008, 14001.2004
Paris, KY 9001.2008
Mexico City, Mexico 9001.2008
Deventer, The Netherlands 9001.2008, 14001.2004, 13485.2003
Selangor, Malaysia 9001.2008
Panaji, India 9001.2008
Gliwice, Poland 9001.2008, 17025.2005

Richard M. Siberski
Global Director of Quality Assurance

For questions on this Certificate of Analysis please contact Technical Services at 855-282-6867 or 610-573-2600
Avantor[™] Performance Materials, Inc.

3477 Corporate Parkway • Suite #200 • Center Valley, PA 18034 • U.S.A. • Phone: 610.573.2600 • Fax: 610.573.2610