



Potassium Permanganate

BAKER ANALYZED[®] A.C.S. Reagent
Suitable for Mercury Determination

Product No. 3227
Lot No. K48609
Release Date 12/14/2011

Certificate of Analysis

TEST	SPECIFICATION	RESULT
Meets A.C.S. Specifications		
Assay (KMnO ₄)	99.0 % min.	99.8 %
Insoluble Matter	0.2 % max.	0.05 %
Chloride and Chlorate (as Cl)	0.005 % max.	< 0.003 %
Sulfate (SO ₄)	0.02 % max.	0.02 %
Trace Impurities (in ppm):		
Mercury (Hg)	0.05 max.	0.004
For Laboratory, Research or Manufacturing Use		
Country of Origin: USA		

ISO

Phillipsburg, NJ 9001.2008, 14001.2004
Paris, KY 9001.2008
Mexico City, Mexico 9001.2008
Deventer, The Netherlands 9001.2008, 14001.2004, 13485.2003
Selangor, Malaysia 9001.2008
Panaji, India 9001.2008
Gliwice, Poland 9001.2008, 17025.2005


Richard M. Siberski
Global Director of Quality Assurance

For questions on this Certificate of Analysis please contact Technical Services at 855-282-6867 or 610-573-2600

Avantor[™] Performance Materials, Inc.

3477 Corporate Parkway • Suite #200 • Center Valley, PA 18034 • U.S.A. • Phone: 610.573.2600 • Fax: 610.573.2610