

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/05/2014 Version: 1.0

SECTION 1: Identification of the s	subst <u>ance</u>	/mixture and of the <u>com</u>	pany/undertakir	ng
1.1. Product identifier				
Product form	: Mixtu	re		
Product name	: Copp	er Sulfate, 0.01M (0.01N)		
Product code	: LC13	442		
1.2. Relevant identified uses of the s	ubstance or	mixture and uses advised ag	ainst	
Use of the substance/mixture	: For la	boratory and manufacturing us	e only.	
1.3. Details of the supplier of the safe	ety data she	et		
LabChem Inc Jackson's Pointe Commerce Park Building 1 Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 <u>info@labchem.com</u> - <u>www.labchem.com</u>	000, 1010 Ja	ckson's Pointe Court		
1.4. Emergency telephone number				
Emergency number	: CHEN	MTREC: 1-800-424-9300 or 011	1-703-527-3887	
<b>SECTION 2: Hazards identificatio</b>	n			
2.1. Classification of the substance of	or mixture			
GHS-US classification Aquatic Acute 3 H402 Aquatic Chronic 3 H412				
2.2. Label elements				
GHS-US labelling				
Hazard statements (GHS-US)	· H412	- Harmful to aquatic life with lo	na lastina effects	
Precautionary statements (GHS-US)	: P273	<ul> <li>Avoid release to the environm</li> <li>Dispose of contents/container</li> </ul>	nent	state and federal regulations
2.3. Other hazards				
Other hazards not contributing to the classification	: None			
2.4. Unknown acute toxicity (GHS-US	S)			
No data available				
SECTION 3: Composition/informa	ation on in	gredients		
3.1. Substance		-		
Not applicable				
Full text of H-phrases: see section 16				
3.2. Mixture				
Name		Product identifier	%	GHS-US classification
		(CAS No) 7732-18-5	99.75	Not classified
Water			0.25	Acute Tox. 3 (Oral), H301
Water Copper (II) Sulfate, Pentahydrate		(CAS No) 7758-99-8	0.20	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Copper (II) Sulfate, Pentahydrate		(CAS No) 7758-99-8		Aquatic Acute 1, H400
	S	(CAS No) 7758-99-8	0.20	Aquatic Acute 1, H400
Copper (II) Sulfate, Pentahydrate SECTION 4: First aid measures 4.1. Description of first aid measures	: Neve			Aquatic Acute 1, H400
Copper (II) Sulfate, Pentahydrate SECTION 4: First aid measures	: Neve (shov	r give anything by mouth to an i	unconscious person. I	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

# Copper Sulfate, 0.01M (0.01N) Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, N	larch 26, 2012 / Rules and Regulations
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate medical	attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
	: Do not use a heavy water stream.
5.2. Special hazards arising from the sub-	stance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	
6.1.1. For non-emergency personnel	
0 71	: Safety glasses.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters. Avoid release to the environment.
6.3. Methods and material for containment	t and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal p	rotection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	g any incompatibilities
Storage conditions	: Keep container closed when not in use.
Incompatible products	: Strong reducing agents. Strong bases.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/perso	nal protection
8.1. Control parameters	
No additional information available	

No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls	
Appropriate engineering controls	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide adequate general and local exhaust ventilation.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical an	d chemical properties
Physical state	: Liquid
Colour	: Bluish liquid.
Odour	: None.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not applicable.
Oxidising properties	: No data available.
Explosive limits	: No data available

#### 9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity
0.1. Reactivity
lo additional information available
0.2. Chemical stability
Stable under normal conditions.
0.3. Possibility of hazardous reactions
lot established.
0.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
0.5. Incompatible materials
strong reducing agents. Strong bases.
0.6. Hazardous decomposition products
Sulfur compounds.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity

: Not classified

Acute toxicity	: Not classified
Copper (II) Sulfate, Pentahydrate (7758-99-8	8)
LD50 oral rat	300 mg/kg (482 mg/kg bodyweight; Rat; Rat; Experimental value,482 mg/kg bodyweight; Rat; Rat; Experimental value)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
Water (7732-18-5)	
LD50 oral rat	≥ 90000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Likely routes of exposure	: Skin and eye contact
SECTION 12: Ecological information	n
12.1. Toxicity	
Ecology - water	: Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Copper (II) Sulfate, Pentahydrate (7758-99-8	
	3)
LC50 fishes 1	8) 1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)
LC50 fishes 1 EC50 Daphnia 1	,
	<ul> <li>1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)</li> <li>0.109 - 0.798 mg/l (48 h; Daphnia magna; Anhydrous form)</li> <li>0.17 mg/l (24 h; Salmo gairdneri (Oncorhynchus mykiss); Anhydrous form)</li> </ul>
EC50 Daphnia 1	1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)         0.109 - 0.798 mg/l (48 h; Daphnia magna; Anhydrous form)
EC50 Daphnia 1 LC50 fish 2	<ul> <li>1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)</li> <li>0.109 - 0.798 mg/l (48 h; Daphnia magna; Anhydrous form)</li> <li>0.17 mg/l (24 h; Salmo gairdneri (Oncorhynchus mykiss); Anhydrous form)</li> </ul>
EC50 Daphnia 1 LC50 fish 2 TLM fish 1	1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)         0.109 - 0.798 mg/l (48 h; Daphnia magna; Anhydrous form)         0.17 mg/l (24 h; Salmo gairdneri (Oncorhynchus mykiss); Anhydrous form)         3.8 ppm 24 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 1 LC50 fish 2 TLM fish 1 Threshold limit algae 1 Threshold limit algae 2	1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)0.109 - 0.798 mg/l (48 h; Daphnia magna; Anhydrous form)0.17 mg/l (24 h; Salmo gairdneri (Oncorhynchus mykiss); Anhydrous form)3.8 ppm 24 h; Salmo gairdneri (Oncorhynchus mykiss)0.01 - 0.28,72 h; Selenastrum capricornutum; Anhydrous form
EC50 Daphnia 1 LC50 fish 2 TLM fish 1 Threshold limit algae 1 Threshold limit algae 2	1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)0.109 - 0.798 mg/l (48 h; Daphnia magna; Anhydrous form)0.17 mg/l (24 h; Salmo gairdneri (Oncorhynchus mykiss); Anhydrous form)3.8 ppm 24 h; Salmo gairdneri (Oncorhynchus mykiss)0.01 - 0.28,72 h; Selenastrum capricornutum; Anhydrous form
EC50 Daphnia 1 LC50 fish 2 TLM fish 1 Threshold limit algae 1 Threshold limit algae 2 12.2. Persistence and degradability	1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)0.109 - 0.798 mg/l (48 h; Daphnia magna; Anhydrous form)0.17 mg/l (24 h; Salmo gairdneri (Oncorhynchus mykiss); Anhydrous form)3.8 ppm 24 h; Salmo gairdneri (Oncorhynchus mykiss)0.01 - 0.28,72 h; Selenastrum capricornutum; Anhydrous form
EC50 Daphnia 1 LC50 fish 2 TLM fish 1 Threshold limit algae 1 Threshold limit algae 2 12.2. Persistence and degradability Copper Sulfate, 0.01M (0.01N)	1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)         0.109 - 0.798 mg/l (48 h; Daphnia magna; Anhydrous form)         0.17 mg/l (24 h; Salmo gairdneri (Oncorhynchus mykiss); Anhydrous form)         3.8 ppm 24 h; Salmo gairdneri (Oncorhynchus mykiss)         0.01 - 0.28,72 h; Selenastrum capricornutum; Anhydrous form         0.368 mg/l (72 h; Pseudokirchneriella subcapitata; Anhydrous form)         Not readily biodegradable. May cause long-term adverse effects in the environment.
EC50 Daphnia 1 LC50 fish 2 TLM fish 1 Threshold limit algae 1 Threshold limit algae 2 12.2. Persistence and degradability Copper Sulfate, 0.01M (0.01N) Persistence and degradability	1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)         0.109 - 0.798 mg/l (48 h; Daphnia magna; Anhydrous form)         0.17 mg/l (24 h; Salmo gairdneri (Oncorhynchus mykiss); Anhydrous form)         3.8 ppm 24 h; Salmo gairdneri (Oncorhynchus mykiss)         0.01 - 0.28,72 h; Selenastrum capricornutum; Anhydrous form         0.368 mg/l (72 h; Pseudokirchneriella subcapitata; Anhydrous form)         Not readily biodegradable. May cause long-term adverse effects in the environment.
EC50 Daphnia 1 LC50 fish 2 TLM fish 1 Threshold limit algae 1 Threshold limit algae 2 12.2. Persistence and degradability Copper Sulfate, 0.01M (0.01N) Persistence and degradability Copper (II) Sulfate, Pentahydrate (7758-99-8	1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)         0.109 - 0.798 mg/l (48 h; Daphnia magna; Anhydrous form)         0.17 mg/l (24 h; Salmo gairdneri (Oncorhynchus mykiss); Anhydrous form)         3.8 ppm 24 h; Salmo gairdneri (Oncorhynchus mykiss)         0.01 - 0.28,72 h; Selenastrum capricornutum; Anhydrous form         0.368 mg/l (72 h; Pseudokirchneriella subcapitata; Anhydrous form)         Not readily biodegradable. May cause long-term adverse effects in the environment.
EC50 Daphnia 1 LC50 fish 2 TLM fish 1 Threshold limit algae 1 Threshold limit algae 2 12.2. Persistence and degradability Copper Sulfate, 0.01M (0.01N) Persistence and degradability Copper (II) Sulfate, Pentahydrate (7758-99-8 Persistence and degradability	1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)         0.109 - 0.798 mg/l (48 h; Daphnia magna; Anhydrous form)         0.17 mg/l (24 h; Salmo gairdneri (Oncorhynchus mykiss); Anhydrous form)         3.8 ppm 24 h; Salmo gairdneri (Oncorhynchus mykiss)         0.01 - 0.28,72 h; Selenastrum capricornutum; Anhydrous form         0.368 mg/l (72 h; Pseudokirchneriella subcapitata; Anhydrous form)         Not readily biodegradable. May cause long-term adverse effects in the environment.         8)         Not established.
EC50 Daphnia 1 LC50 fish 2 TLM fish 1 Threshold limit algae 1 Threshold limit algae 2 <b>12.2.</b> Persistence and degradability Copper Sulfate, 0.01M (0.01N) Persistence and degradability Copper (II) Sulfate, Pentahydrate (7758-99-8 Persistence and degradability Biochemical oxygen demand (BOD)	1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test)         0.109 - 0.798 mg/l (48 h; Daphnia magna; Anhydrous form)         0.17 mg/l (24 h; Salmo gairdneri (Oncorhynchus mykiss); Anhydrous form)         3.8 ppm 24 h; Salmo gairdneri (Oncorhynchus mykiss)         0.01 - 0.28,72 h; Selenastrum capricornutum; Anhydrous form         0.368 mg/l (72 h; Pseudokirchneriella subcapitata; Anhydrous form)         Not readily biodegradable. May cause long-term adverse effects in the environment.         8)         Not established.         Not applicable

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Water (7732-18-5)	
Bioaccumulative potential	Not established.
2.4. Mobility in soil	
Copper Sulfate, 0.01M (0.01N)	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.
Copper (II) Sulfate, Pentahydrate (7758-99-8)	
Ecology - soil	Toxic to flora.
2.5. Other adverse effects	
Other information	: Avoid release to the environment.
SECTION 13: Disposal considerations	5
3.1. Waste treatment methods	
Vaste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to comply with local, state and federal regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
n accordance with DOT	
No dangerous good in sense of transport regulatio	ons
Additional information	
Other information	: No supplementary information available.
lo additional information available <b>ir transport</b> lo additional information available <b>SECTION 15: Regulatory information</b> <b>5.1. US Federal regulations</b>	
Copper (II) Sulfate, Pentahydrate (7758-99-8)	
Listed on the United States TSCA (Toxic Substan	nces Control Act) inventory
Listed on SARA Section 313 (Specific toxic chem	
RQ (Reportable quantity, section 304 of EPA's List of Lists) :	10 lb
Water (7732-18-5)	
Listed on the United States TSCA (Toxic Substan	nces Control Act) inventory
15.2. International regulations	
CANADA	
Copper Sulfate, 0.01M (0.01N)	
Copper Sulfate, 0.01M (0.01N) WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
WHMIS Classification Copper (II) Sulfate, Pentahydrate (7758-99-8)	
WHMIS Classification Copper (II) Sulfate, Pentahydrate (7758-99-8) Listed on the Canadian DSL (Domestic Sustance	es List) inventory.
WHMIS Classification <b>Copper (II) Sulfate, Pentahydrate (7758-99-8)</b> Listed on the Canadian DSL (Domestic Sustance WHMIS Classification	
WHMIS Classification Copper (II) Sulfate, Pentahydrate (7758-99-8) Listed on the Canadian DSL (Domestic Sustance WHMIS Classification Water (7732-18-5)	es List) inventory. Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects
WHMIS Classification <b>Copper (II) Sulfate, Pentahydrate (7758-99-8)</b> Listed on the Canadian DSL (Domestic Sustance WHMIS Classification	es List) inventory. Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

### Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

### 15.2.2. National regulations

### Copper (II) Sulfate, Pentahydrate (7758-99-8)

Listed on the Canadian Ingredient Disclosure List

### Water (7732-18-5)

Not listed on the Canadian Ingredient Disclosure List

### 15.3. US State regulations

No additional information available

### **SECTION 16: Other information**

Other information

: None.

Full text of H-phrases: see section 16:


Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — AcuteHazard, Category 1
Aquatic Acute 3	Hazardous to the aquatic environment — AcuteHazard, Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H301	Toxic if swallowed
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

### NFPA health hazard

: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard NFPA reactivity

- : 0 Materials that will not burn.
- : 0 Normally stable, even under fire exposure conditions, and are not reactive with water.



#### **HMIS III Rating**

Health
Flammability
Physical
Personal Protection

- : 1 Slight Hazard Irritation or minor reversible injury possible
- : 0 Minimal Hazard
- : 0 Minimal Hazard

: A

SDS US (GHS HazCom 2012)

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.