

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Mixed Calibration Standard 3, ICP, EPA 200.7 version 4.4

Product Number: RMCAL3 Other Identifying Product Numbers: RMCAL3-100

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive Arlington, TX 76012 USA Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

| | | Hazard | |
|---|------------|-----------|---|
| Hazard Class | Category | Statement | Precautionary Statements |
| Acute Toxicity - Inhalation | Category 2 | H330 | P260, P271, P285, P304+P340, P310, P320, |
| | | | P403+P233, P405, P501 |
| Skin Corrosion / Irritation | Category 1 | H314 | P260, P264, P280, P301+P330+P331, |
| | | | P303+P361+P353, P363, P304+P340, P310, |
| | | | P321, P305+P351+P338, P405, P501 |
| Eye Damage / Irritation | Category 1 | H318 | P280, P305+P351+P338, P310 |
| Specific Target Organs/Systemic Toxicity Following Single | Category 1 | H370 | P260, P264, P270, P307+P311, P321, P405, P501 |
| Exposure | | | |
| Specific Target Organs/Systemic Toxicity Following Repeated | Category 1 | H372 | P260, P264, P270, P314, P501 |
| Exposure | - | | |
| Corrosive to Metals | Category 1 | H290 | P234, P390, P406 |



2.2. GHS Label Elements

Pictograms:



Signal Word: Danger

Hazard Statements:

| Hazard Number | Hazard Statement |
|---------------|---|
| H290 | May be corrosive to metals. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H370 | Causes damage to organs. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |

Safety Data Sheet

Precautionary Statements: Precautionary Number Precautionary Statement P234 Keep only in original container. P260 Do not breathe dust, fumes or mist. P264 Wash arms, hands and face thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves and eye protection. P285 In case of inadequate ventilation wear respiratory protection. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to d Continue rinsing. P307+P311 IF exposed: Call a POISON CENTER or physician. P310 Immediately call a POISON CENTER or physician. P314 Get medical attention if you feel unwell. P320 Specific treatment is urgent (Wash areas of contact with water immediately). P321 Specific treatment (Wash areas of contact with water immediately). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P406 Store in corrosive resistant container with a resistant inner liner. P501 Dispose of contents in accordance with local, state, federal and international regulations.

2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

| Chemical Name | Formula | Molecular Weight | CAS Number | Weight% |
|----------------------------------|--|------------------|------------|---------|
| Water | H₂O | 18.01 g/mol | 7732-18-5 | 94.78% |
| Nitric Acid | HNO₃ | 63.01 g/mol | 7697-37-2 | 5.17% |
| Ammonium Dihydrogen Phosphate | $NH_4H_2PO_4$ | 97.99 g/mol | 7722-76-1 | 0.04% |
| Cerium (III) Nitrate Hexahydrate | Ce(NO ₃) ₃ ·6H ₂ O | 326.13 g/mol | 10294-41-4 | 0.01% |
| Vanadium | V | 50.94 g/mol | 7440-62-2 | 0.00% |
| Cobalt | Со | 58.93 g/mol | 7440-48-4 | 0.00% |

SECTION 4: First-Aid Measures

4.1. General First Aid Information

- **Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness, pain, and tearing.
 - Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.
 - Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Corrosive Liquid. Avoid contact with skin, eyes, and clothing. Avoid breathing vapor. If swallowed, do not induce vomiting. Dilute with water and call a physician. Wash areas of contact with plenty of water. Contains a minute amount of a possible carcinogen. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Specific treatment (Wash areas of contact with water immediately).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire.

5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas.



5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

SECTION 8: Exposure Controls / Personal Protection

8.1. Control Parameters

| Chemical Name | Limit Type | Country | Exposure Limit | Information Source |
|-------------------------|-------------|---------|--|--|
| Cobalt (7440-48-4) | TWA | USA | 0.1 mg/m ³ TWA (dust and fume) | U.S OSHA - Final PELs - Time Weighter |
| | | | | Averages (TWAs) |
| Cobalt (7440-48-4) | TLV-TWA | USA | 0.02 mg/m³ TWA | ACGIH - Threshold Limit Values - Time |
| | | | | Weighted Averages (TLV-TWA) |
| Cobalt (7440-48-4) | TLV-TWA | USA | 0.02 mg/m³ TWA (as Co) | ACGIH - Threshold Limit Values - Time |
| | | | | Weighted Averages (TLV-TWA) |
| Nitric Acid (7697-37-2) | TWA | USA | 2 ppm TWA | U.S OSHA - Final PELs - Time Weighter |
| | | | 5 mg/m³ TWA | Averages (TWAs) |
| Nitric Acid (7697-37-2) | TLV-STEL | USA | 4 ppm STEL | ACGIH - Threshold Limit Values - Short |
| | | | | Term Exposure Limits (TLV-STEL) |
| Nitric Acid (7697-37-2) | TLV-TWA | USA | 2 ppm TWA | ACGIH - Threshold Limit Values - Time |
| | | | | Weighted Averages (TLV-TWA) |
| Vanadium (7440-62-2) | PEL-Ceiling | USA | 0.5 mg/m ³ Ceiling (respirable dust, as | U.S OSHA - Final PELs - Ceiling Limits |
| | | | V2O5) | |
| | | | 0.1 mg/m ³ Ceiling (fume, as V2O5) | |

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is adequa

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.



8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

| Appearance: | Colorless liquid | |
|--|---|--|
| Physical State: | Liquid | |
| Odor: | Data not available. | |
| Odor Threshold: | Data not available. | |
| pH: | Data not available. | |
| Melting/Freezing Point: | Approximately 0°C | |
| Initial Boiling Point /Range: | Approximately 100°C - Approximately 100°C | |
| Flash Point: | Data not available. | |
| Evaporation Rate: | Data not available. | |
| Flammability: | Data not available. | |
| Flammability/Explosive Limits: | Data not available. | |
| Vapor Pressure: | Data not available. | |
| Vapor Density: | Data not available. | |
| Relative Density: | 1.03 | |
| Solubility: | Miscible | |
| Partition Coefficient (n-Octanol/Water): | Data not available. | |
| Auto-Ignition Temperature: | Data not available. | |
| Decomposition Temperature: | Data not available. | |
| Viscosity: | Data not available. | |
| ExplosiveProperties: | Data not available. | |
| Oxidizing Properties: | Data not available. | |

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.



10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, metallic powders.

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe dust, fumes or mist. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity: Not applicable.

Carcinogenicity: Not applicable.

Safety Data Sheet

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Causes damage to organs. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed: Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Specific Target Organ Toxicity from Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Get medical attention if you feel unwell. Dispose of contents in accordance with local, state, federal and international regulations.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Safety Data Sheet

SECTION 14: Transportation Information

14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

UN Number: UN3264 Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s., (Nitric Acid) Hazard Class: 8 Packing Group: III Hazard Placard Labels: CORROSNE



UN Number: UN3264 Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s., (Nitric Acid) Hazard Class: 8 Packing Group: III Hazard Placard Labels:

CORROSIVE 8

SECTION 15: Regulatory Information

- 15.1. Occupational Safety and Health Administration (OSHA) Hazards Not listed.
- **15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances** Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Cobalt (CAS # 7440-48-4): 10 curie final RQ; 0.37 TBq final RQ Cobalt (CAS # 7440-48-4): 100 curie final RQ; 3.7 TBq final RQ Cobalt (CAS # 7440-48-4): 1000 curie final RQ; 37 TBq final RQ Vanadium (CAS # 7440-62-2): 10 curie final RQ; 0.37 TBq final RQ Vanadium (CAS # 7440-62-2): 1000 curie final RQ; 37 TBq final RQ Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

Safety Data Sheet

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Cerium (III) Nitrate Hexahydrate (CAS # 10294-41-4): 1.0 % de minimis concentration (reportable only when in aqueous solution, Chemical Category N511)

Cobalt (CAS # 7440-48-4): 0.1 % de minimis concentration

Cobalt (CAS # 7440-48-4): 0.1 % de minimis concentration (listed under Chemical Category N096)

Vanadium (CAS # 7440-62-2): 1.0 % de minimis concentration (except when contained in an alloy)

Vanadium (CAS # 7440-62-2): 1.0 % de minimis concentration (listed under Chemical Category N770)

Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration

Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): 1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listin

15.5. Massachusetts Right-to-Know Substance List

Cobalt (CAS # 7440-48-4): Present Vanadium (CAS # 7440-62-2): Present (dust and fume) Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

15.6. Pennsylvania Right-to-Know Hazardous Substances

Cobalt (CAS # 7440-48-4): Environmental hazard Cobalt (CAS # 7440-48-4): Environmental hazard (fume) Cobalt (CAS # 7440-48-4): Present Vanadium (CAS # 7440-62-2): Environmental hazard (dust and fume) Vanadium (CAS # 7440-62-2): Present (dust or fume) Nitric Acid (CAS # 7697-37-2): Environmental hazard Nitric Acid (CAS # 7697-37-2): Present Water (CAS # 7732-18-5): Present

Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Cerium (III) Nitrate Hexahydrate (CAS # 10294-41-4): sn 3722 Cerium (III) Nitrate Hexahydrate (CAS # 10294-41-4): SN 3722 TPQ: 500 lb (water dissociable, Category Code N511) Cobalt (CAS # 7440-48-4): carcinogen Cobalt (CAS # 7440-48-4): carcinogen; flammable - third degree Cobalt (CAS # 7440-48-4): sn 0520 Cobalt (CAS # 7440-48-4): SN 0520 TPQ: 500 lb Cobalt (CAS # 7440-48-4): sn 2222 Cobalt (CAS # 7440-48-4): SN 2222 TPQ: 500 lb (Category Code N096. Includes any unique chemical substance that contains the named metal as part of that chemical structure) Vanadium (CAS # 7440-62-2): sn 3492 Vanadium (CAS # 7440-62-2): SN 3492 TPQ: 500 lb (Category Code N770) Vanadium (CAS # 7440-62-2): sn 3762 Vanadium (CAS # 7440-62-2): SN 3762 TPQ: 500 lb (except when contained in an alloy) Nitric Acid (CAS # 7697-37-2): corrosive; reactive - second degree Nitric Acid (CAS # 7697-37-2): sn 1356 Nitric Acid (CAS # 7697-37-2): SN 1356 TPQ: 500 lb Nitric Acid (CAS # 7697-37-2): sn 3722 Nitric Acid (CAS # 7697-37-2): SN 3722 TPQ: 500 lb (water dissociable, Category Code N511)

15.8. California Proposition 65

Cobalt (CAS # 7440-48-4): carcinogen, initial date 7/1/92 (powder)

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Cerium (III) Nitrate Hexahydrate (CAS # 10294-41-4): Present Cobalt (CAS # 7440-48-4): Present Vanadium (CAS # 7440-62-2): Present Nitric Acid (CAS # 7697-37-2): Present Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): Present Water (CAS # 7732-18-5): Present

15.10. United States of America Toxic Substances Control Act (TSCA) List

Cerium (III) Nitrate Hexahydrate (CAS # 10294-41-4): Present Cobalt (CAS # 7440-48-4): Present Vanadium (CAS # 7440-62-2): Present Nitric Acid (CAS # 7697-37-2): Present Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): Present Water (CAS # 7732-18-5): Present

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS),

European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Not listed.

Safety Data Sheet

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.

Keep only in original container. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or physician. Get medical attention if you feel unwell. Specific treatment is urgent (Wash areas of contact with water immediately). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable. Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable. Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 2 Flammability: 0 Reactivity: 0 Special Hazard:





16.4. Document Revision

Last Revision Date: 5/1/2015

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.