

Safety Data Sheet

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Primary Metals Standard, for GFAA/ICP/ICP-MS

Product Number: RPRIMET

Other Identifying Product Numbers: RPRIMET-100

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive
Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300
CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

Hazard Class	Category	Hazard Statement	Precautionary Statements
Acute Toxicity - Oral	Category 4	H302	P264, P270, P301+P312, P330, P501
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320, P403+P233, P405, P501
Skin Corrosion / Irritation	Category 2	H315	P264, P280, P302+P352, P321, P332+P313, P362
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Specific Target Organs/Systemic Toxicity Following Single Exposure	Category 1	H370	P260, P264, P270, P307+P311, P321, P405, P501
Specific Target Organs/Systemic Toxicity Following Repeated Exposure	Category 1	H372	P260, P264, P270, P314, P501

Safety Data Sheet

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

Hazard Number	Hazard Statement
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.

Safety Data Sheet

Precautionary Statements:

Precautionary Number	Precautionary Statement
P260	Do not breathe dust, fumes or mist.
P264	Wash arms, hands and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to d Continue rinsing.
P307+P311	IF exposed: Call a POISON CENTER or physician.
P310	Immediately call a POISON CENTER or physician.
P314	Get medical attention if you feel unwell.
P320	Specific treatment is urgent (Wash areas of contact with water immediately).
P321	Specific treatment (Wash areas of contact with water immediately).
P330	Rinse mouth.
P332+P313	If skin irritation occurs: Get medical attention.
P362	Take off contaminated clothing and wash it before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.



Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H ₂ O	18.01 g/mol	7732-18-5	97.27%
Nitric Acid	HNO ₃	63.01 g/mol	7697-37-2	2.56%
Hydrofluoric Acid	HF	20.00 g/mol	7664-39-3	0.04%
Calcium Carbonate	CaCO ₃	100.09 g/mol	471-34-1	0.02%
Sodium Carbonate	Na ₂ CO ₃	105.98 g/mol	497-19-8	0.02%
Hydrochloric Acid	HCl	36.46 g/mol	7647-01-0	0.02%
Tartaric Acid	HOOC(CHOH) ₂ COOH	150.08 g/mol	87-69-4	0.01%
Arsenic	As	74.92 g/mol	7440-38-2	0.01%
Antimony	Sb	121.76 g/mol	7440-36-0	0.01%
Silicon	Si	28.08 g/mol	7440-21-3	0.01%
Chromium Nitrate Nonahydrate	Cr(NO ₃) ₃ ·9H ₂ O	238.01 g/mol	7789-02-8	0.01%
Barium Nitrate	Ba(NO ₃) ₂	261.33 g/mol	10022-31-8	0.00%
Selenium	Se	78.95 g/mol	7782-49-2	0.00%
Copper	Cu	63.54 g/mol	7440-50-8	0.00%
Cadmium	Cd	112.41 g/mol	7440-43-9	0.00%
Beryllium	Be	9.01 g/mol	7440-41-7	0.00%
Thallium	Tl	204.38 g/mol	7440-28-0	0.00%
Nickel	Ni	58.69 g/mol	7440-02-0	0.00%
Lead	Pb	207.2 g/mol	7439-92-1	0.00%

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness, pain, and tearing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN: Wash with plenty of soap and water. May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Ingestion: IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Dilute with water or milk. Call a physician if necessary.

4.2. Most Important Symptoms and Effects, Acute and Delayed

CAUTION! Mildly corrosive liquid. Contains minute amounts of known and suspected carcinogens. Avoid contact with skin, eyes, and clothing. If swallowed, dilute with water and call a physician. Wash areas of contact with plenty of water. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Safety Data Sheet

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Specific treatment (Wash areas of contact with water immediately).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire.

5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas. May react explosively with combustible organic or readily oxidizable materials such as: alcohols, turpentine, charcoal, organic refuse, metal powder, hydrogen sulfide, etc.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable inert material (vermiculite, dry sand, etc) and place in a chemical waste container for proper disposal. Do not flush to sewer. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Do not mix with bases.



Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Antimony (7440-36-0)	TWA	USA	0.5 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TWA	USA	0.5 mg/m ³ TWA (as Sb)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony (7440-36-0)	TLV-TWA	USA	0.5 mg/m ³ TWA (as Sb)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony (7440-36-0)	TLV-TWA	USA	0.5 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	10 µg/m ³ TWA (as As)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	TLV-TWA	USA	0.01 mg/m ³ TWA (as As)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TLV-TWA	USA	0.01 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	PEL	USA	10 µg/m ³ TWA (Cancer hazard, See 29 CFR 1910.1018, except Arsine, as As) 5 µg/m ³ Action Level (as As)	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Barium Nitrate (10022-31-8)	TWA	USA	0.5 mg/m ³ TWA (as Ba)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Barium Nitrate (10022-31-8)	TLV-TWA	USA	0.5 mg/m ³ TWA (as Ba)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium (7440-41-7)	TWA	USA	2 µg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium (7440-41-7)	TWA	USA	2 µg/m ³ TWA (as Be)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium (7440-41-7)	TLV-TWA	USA	0.00005 mg/m ³ TWA (inhalable fraction as Be)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium (7440-41-7)	TLV-TWA	USA	0.00005 mg/m ³ TWA (inhalable fraction)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium (7440-41-7)	PEL-Ceiling	USA	5 µg/m ³ Ceiling	U.S. - OSHA - Final PELs - Ceiling Limits
Beryllium (7440-41-7)	PEL-Ceiling	USA	5 µg/m ³ Ceiling (as Be)	U.S. - OSHA - Final PELs - Ceiling Limits



Safety Data Sheet

Cadmium (7440-43-9)	TWA	USA	0.1 mg/m ³ TWA (fume, applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect) 0.2 mg/m ³ TWA (dust, applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect) 5 µg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Cadmium (7440-43-9)	TLV-TWA	USA	0.01 mg/m ³ TWA 0.002 mg/m ³ TWA (respirable fraction)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	TLV-TWA	USA	0.01 mg/m ³ TWA (as Cd) 0.002 mg/m ³ TWA (respirable fraction, as Cd)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL-Ceiling	USA	0.3 mg/m ³ Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, fume) 0.6 mg/m ³ Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, dust)	U.S. - OSHA - Final PELs - Ceiling Limits
Cadmium (7440-43-9)	PEL	USA	5 µg/m ³ TWA (Do not eat, drink or chew tobacco or gum or apply cosmetics in regulated areas. Carcinogen - dust can cause lung and kidney disease. See 29 CFR 1910.1027) 2.5 µg/m ³ Action Level	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	PEL	USA	5 µg/m ³ TWA (Do not eat, drink or chew tobacco or gum or apply cosmetics in regulated areas. Carcinogen - dust can cause lung and kidney disease. See 29 CFR 1910.1027, as Cd) 2.5 µg/m ³ Action Level (as Cd)	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Calcium Carbonate (471-34-1)	TWA	USA	15 mg/m ³ TWA (total dust) 5 mg/m ³ TWA (respirable fraction)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-02-8)	TWA	USA	0.5 mg/m ³ TWA (as Cr)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-02-8)	TLV-TWA	USA	0.5 mg/m ³ TWA (as Cr)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)



Safety Data Sheet

Copper (7440-50-8)	TWA	USA	0.1 mg/m ³ TWA (fume) 1 mg/m ³ TWA (dust and mist)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Copper (7440-50-8)	TLV-TWA	USA	0.2 mg/m ³ TWA (fume)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	1 mg/m ³ TWA (dust and mist, as Cu)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrochloric Acid (7647-01-0)	TLV-Ceiling	USA	2 ppm Ceiling	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrochloric Acid (7647-01-0)	PEL-Ceiling	USA	5 ppm Ceiling 7 mg/m ³ Ceiling	U.S. - OSHA - Final PELs - Ceiling Limits
Hydrofluoric Acid (7664-39-3)	TWA	USA	3 ppm TWA (as F)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TWA	USA	2.5 mg/m ³ TWA (as F) 2.5 mg/m ³ TWA (dust)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	2 ppm Ceiling (as F)	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	0.5 ppm TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	2.5 mg/m ³ TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Lead (7439-92-1)	TWA	USA	50 µg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Lead (7439-92-1)	TWA	USA	50 µg/m ³ TWA (as Pb)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Lead (7439-92-1)	TLV-TWA	USA	0.05 mg/m ³ TWA (as Pb)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Lead (7439-92-1)	TLV-TWA	USA	0.05 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Lead (7439-92-1)	PEL	USA	30 µg/m ³ Action Level (Poison, See 29 CFR 1910.1025) 50 µg/m ³ TWA	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Lead (7439-92-1)	PEL	USA	30 µg/m ³ Action Level (Poison, See 29 CFR 1910.1025, as Pb) 50 µg/m ³ TWA (as Pb)	U.S. - OSHA - Specifically Regulated Chemicals with PELs
Nickel (7440-02-0)	TWA	USA	1 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	1.5 mg/m ³ TWA (inhalable fraction)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA 5 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)



Safety Data Sheet

Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	0.2 mg/m ³ TWA (as Se)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Selenium (7782-49-2)	TLV-TWA	USA	0.2 mg/m ³ TWA (as Se)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	0.2 mg/m ³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Silicon (7440-21-3)	TWA	USA	15 mg/m ³ TWA (total dust) 5 mg/m ³ TWA (respirable fraction)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Thallium (7440-28-0)	TLV-TWA	USA	0.02 mg/m ³ TWA (inhalable fraction)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	0.02 mg/m ³ TWA (inhalable fraction, as Tl)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is adequate.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.



Safety Data Sheet

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: acidic

Melting/Freezing Point: Data not available.

Initial Boiling Point /Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.02

Solubility: Miscible

Partition Coefficient (n-Octanol/Water): Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Strong bases, metallic powders, Carbides, Hydrogen Sulfide, Turpentine and combustible organics.

10.4. Hazardous Decomposition Products

Will not occur.



Safety Data Sheet

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Harmful if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe dust, fumes or mist. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Causes skin irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. Specific treatment (Wash areas of contact with water immediately). If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Causes damage to organs. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed: Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.



Safety Data Sheet

Specific Target Organ Toxicity from Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Get medical attention if you feel unwell. Dispose of contents in accordance with local, state, federal and international regulations.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

Not regulated according to DOT Regulations.

Safety Data Sheet

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Lead (CAS # 7439-92-1): 30 µg/m³ Action Level (See 29 CFR 1910.1025); 50 µg/m³ TWA (See 29 CFR 1910.1025)

Lead (CAS # 7439-92-1): 30 µg/m³ Action Level (See 29 CFR 1910.1025, as Pb); 50 µg/m³ TWA (See 29 CFR 1910.1025, as Pb)

Arsenic (CAS # 7440-38-2): 10 µg/m³ TWA (See 29 CFR 1910.1018, except Arsine, as As); 5 µg/m³ Action Level (See 29 CFR 1910.1018, except Arsine, as As)

Cadmium (CAS # 7440-43-9): 5 µg/m³ TWA (See 29 CFR 1910.1027); 2.5 µg/m³ Action Level

Cadmium (CAS # 7440-43-9): 5 µg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m³ Action Level (as Cd)

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrochloric Acid (CAS # 7647-01-0): 500 lb TPQ (gas only)

Hydrochloric Acid (CAS # 7647-01-0): 5000 lb EPCRA RQ (gas only)

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ



Safety Data Sheet

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Lead (CAS # 7439-92-1): 0.01 curie final RQ; 0.00037 TBq final RQ

Lead (CAS # 7439-92-1): 1 curie final RQ; 0.037 TBq final RQ

Lead (CAS # 7439-92-1): 10 curie final RQ; 0.37 TBq final RQ

Lead (CAS # 7439-92-1): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm)

Lead (CAS # 7439-92-1): 100 curie final RQ; 3.7 TBq final RQ

Lead (CAS # 7439-92-1): 1000 curie final RQ; 37 TBq final RQ

Nickel (CAS # 7440-02-0): 10 curie final RQ; 0.37 TBq final RQ

Nickel (CAS # 7440-02-0): 100 curie final RQ; 3.7 TBq final RQ

Nickel (CAS # 7440-02-0): 100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm)

Silicon (CAS # 7440-21-3): 1 curie final RQ; 0.037 TBq final RQ

Silicon (CAS # 7440-21-3): 1000 curie final RQ; 37 TBq final RQ

Thallium (CAS # 7440-28-0): 10 curie final RQ; 0.37 TBq final RQ

Thallium (CAS # 7440-28-0): 100 curie final RQ; 3.7 TBq final RQ

Thallium (CAS # 7440-28-0): 1000 curie final RQ; 37 TBq final RQ

Thallium (CAS # 7440-28-0): 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm); 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm)

Antimony (CAS # 7440-36-0): 10 curie final RQ; 0.37 TBq final RQ

Antimony (CAS # 7440-36-0): 10 lb final RQ; 4.54 kg final RQ

Antimony (CAS # 7440-36-0): 100 curie final RQ; 3.7 TBq final RQ

Antimony (CAS # 7440-36-0): 1000 curie final RQ (



Safety Data Sheet

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

- Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (does not include Barium sulfate CAS 7727-43-7, Chemical Category N040)
- Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (reportable only when in aqueous solution, Chemical Category N511)
- Lead (CAS # 7439-92-1): 0.1 % Supplier notification limit (listed under Chemical Category N420)
- Lead (CAS # 7439-92-1): 0.1 % Supplier notification limit; 0.1 % de minimis concentration (when contained in stainless steel, brass, or bronze)
- Lead (CAS # 7439-92-1): 100 lb RT
- Lead (CAS # 7439-92-1): 100 lb RT (this lower threshold does not apply to lead when it is contained in stainless steel, brass or bronze alloy)
- Nickel (CAS # 7440-02-0): 0.1 % de minimis concentration
- Nickel (CAS # 7440-02-0): 0.1 % de minimis concentration (listed under Chemical Category N495)
- Thallium (CAS # 7440-28-0): 1.0 % de minimis concentration
- Thallium (CAS # 7440-28-0): 1.0 % de minimis concentration (listed under Chemical Category N760)
- Antimony (CAS # 7440-36-0): 1.0 % de minimis concentration
- Antimony (CAS # 7440-36-0): 1.0 % de minimis concentration (listed under Chemical Category N010)
- Arsenic (CAS # 7440-38-2): 0.1 % de minimis concentration
- Arsenic (CAS # 7440-38-2): 0.1 % de minimis concentration (listed under Chemical Category N020)
- Beryllium (CAS # 7440-41-7): 0.1 % de minimis concentration
- Beryllium (CAS # 7440-41-7): 0.1 % de minimis concentration (listed under Chemical Category N050)
- Cadmium (CAS # 7440-43-9): 0.1 % de minimis concentration
- Cadmium (CAS # 7440-43-9): 0.1 % de minimis concentration (listed under Chemical Category N084)
- Copper (CAS # 7440-50-8): 1.0 % de minimis concentration
- Copper (CAS # 7440-50-8): 1.0 % de minimis concentration (This category does not include CAS numbers 147-14-8, 1328-53-6, or 14302-13-7, or copper phthalocyanine compounds that are substituted with only hydrogen and/or chlorine and/or bromine.)
- Hydrochloric Acid (CAS # 7647-01-0): 1.0 % de minimis concentration (acid aerosol)

15.5. Massachusetts Right-to-Know Substance List

- Barium Nitrate (CAS # 10022-31-8): Present
- Calcium Carbonate (CAS # 471-34-1): Present
- Lead (CAS # 7439-92-1): Teratogen
- Nickel (CAS # 7440-02-0): Carcinogen; Extraordinarily hazardous
- Silicon (CAS # 7440-21-3): Present (dust, exempt when encapsulated or if particulates are not present and cannot be substantially generated through use of the product)
- Thallium (CAS # 7440-28-0): Present
- Antimony (CAS # 7440-36-0): Present
- Arsenic (CAS # 7440-38-2): Carcinogen; Extraordinarily hazardous
- Beryllium (CAS # 7440-41-7): Carcinogen; Extraordinarily hazardous
- Cadmium (CAS # 7440-43-9): Carcinogen; Extraordinarily hazardous
- Copper (CAS # 7440-50-8): Present
- Hydrochloric Acid (CAS # 7647-01-0): Extraordinarily hazardous
- Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous
- Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous
- Selenium (CAS # 7782-49-2): Present



Safety Data Sheet

15.6. Pennsylvania Right-to-Know Hazardous Substances

Barium Nitrate (CAS # 10022-31-8): Environmental hazard
Barium Nitrate (CAS # 10022-31-8): Present
Calcium Carbonate (CAS # 471-34-1): Present
Lead (CAS # 7439-92-1): Environmental hazard
Lead (CAS # 7439-92-1): Present
Nickel (CAS # 7440-02-0): Environmental hazard
Nickel (CAS # 7440-02-0): Environmental hazard; Special hazardous substance
Nickel (CAS # 7440-02-0): Present
Silicon (CAS # 7440-21-3): Present
Thallium (CAS # 7440-28-0): Environmental hazard
Thallium (CAS # 7440-28-0): Present
Antimony (CAS # 7440-36-0): Environmental hazard
Antimony (CAS # 7440-36-0): Present
Arsenic (CAS # 7440-38-2): Environmental hazard
Arsenic (CAS # 7440-38-2): Environmental hazard; Special hazardous substance
Arsenic (CAS # 7440-38-2): Present
Arsenic (CAS # 7440-38-2): Present (inorganic)
Beryllium (CAS # 7440-41-7): Environmental hazard
Beryllium (CAS # 7440-41-7): Environmental hazard (dust); Special hazardous substance
Beryllium (CAS # 7440-41-7): Present
Beryllium (CAS # 7440-41-7): Present (dust)
Cadmium (CAS # 7440-43-9): Environmental hazard
Cadmium (CAS # 7440-43-9): Environmental hazard (dust, fume, powder); Special hazardous substance (powder)
Cadmium (CAS # 7440-43-9): Present
Cadmium (CAS # 7440-43-9): Present (dust, fume, powder)
Cadmium (CAS # 7440-43-9): Present (powder)
Copper (CAS # 7440-50-8): Environmental hazard
Copper (CAS # 7440-50-8): Environmental hazard (dust and fume)
Copper (CAS # 7440-50-8): Present
Copper (CAS # 7440-50-8): Present (dust and fume)
Hydrochloric Acid (CAS # 7647-01-0): Environmental hazard
Hydrochloric Acid (CAS # 7647-01-0): Present
Hydrofluoric Acid (CAS # 7664-39-3): Environmental hazard
Hydrofluoric Acid (CAS # 7664-39-3): Present
Hydrofluoric Acid (CAS # 7664-39-3): Present (dust)
Nitric Acid (CAS # 7697-37-2): Environmental hazard
Nitric Acid (CAS # 7697-37-2): Present
Water (CAS # 7732-18-5): Present
Selenium (CAS # 7782-49-2): Environmental hazard
Selenium (CAS # 7782-49-2): Present
Chromium Nitrate Nonahydrate (CAS # 7789-02



Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Barium Nitrate (CAS # 10022-31-8): sn 0186

Barium Nitrate (CAS # 10022-31-8): sn 2146

Barium Nitrate (CAS # 10022-31-8): SN 2146 TPQ: 500 lb (Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure except Barium sulfate)

Barium Nitrate (CAS # 10022-31-8): sn 3722

Barium Nitrate (CAS # 10022-31-8): SN 3722 TPQ: 500 lb (water dissociable, Category Code N511)

Calcium Carbonate (CAS # 471-34-1): sn 4001

Lead (CAS # 7439-92-1): carcinogen

Lead (CAS # 7439-92-1): carcinogen; teratogen

Lead (CAS # 7439-92-1): sn 1096

Lead (CAS # 7439-92-1): SN 1096 TPQ: 500 lb

Lead (CAS # 7439-92-1): sn 2266

Lead (CAS # 7439-92-1): SN 2266 TPQ: 500 lb (Category Code N420. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Nickel (CAS # 7440-02-0): carcinogen

Nickel (CAS # 7440-02-0): sn 1341 (dust and fume)

Nickel (CAS # 7440-02-0): SN 1341 TPQ: 500 lb

Nickel (CAS # 7440-02-0): sn 2366

Nickel (CAS # 7440-02-0): SN 2366 TPQ: 500 lb (Category Code N495. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Silicon (CAS # 7440-21-3): flammable - third degree

Silicon (CAS # 7440-21-3): sn 3125 (powder)

Thallium (CAS # 7440-28-0): flammable - third degree

Thallium (CAS # 7440-28-0): sn 1840

Thallium (CAS # 7440-28-0): SN 1840 TPQ: 500 lb

Thallium (CAS # 7440-28-0): sn 2809

Thallium (CAS # 7440-28-0): SN 2809 TPQ: 500 lb (Category Code N760. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Antimony (CAS # 7440-36-0): sn 0141

Antimony (CAS # 7440-36-0): SN 0141 TPQ: 500 lb

Antimony (CAS # 7440-36-0): sn 2223

Antimony (CAS # 7440-36-0): SN 2223 TPQ: 500 lb (Category Code N010. Includes any unique chemical substance that contains the named metal as part of that chemical structure.)

Arsenic (CAS # 7440-38-2): carcinogen; teratogen

Arsenic (CAS # 7440-38-2): sn 0152

Arse



Safety Data Sheet

15.8. California Proposition 65

- Lead (CAS # 7439-92-1): 15 µg/day NSRL (oral)
- Lead (CAS # 7439-92-1): carcinogen, initial date 10/1/92
- Lead (CAS # 7439-92-1): developmental toxicity, initial date 2/27/87
- Lead (CAS # 7439-92-1): female reproductive toxicity, initial date 2/27/87
- Lead (CAS # 7439-92-1): male reproductive toxicity, initial date 2/27/87
- Nickel (CAS # 7440-02-0): carcinogen, initial date 10/1/89 (metallic)
- Nickel (CAS # 7440-02-0): carcinogen, initial date 5/7/04
- Arsenic (CAS # 7440-38-2): 0.06 µg/day NSRL (inhalation); 10 µg/day NSRL (except inhalation)
- Arsenic (CAS # 7440-38-2): 0.06 µg/day NSRL (inhalation, listed under Arsenic); 10 µg/day NSRL (except inhalation, listed under Arsenic)
- Arsenic (CAS # 7440-38-2): carcinogen, initial date 2/27/87
- Beryllium (CAS # 7440-41-7): 0.1 µg/day NSRL
- Beryllium (CAS # 7440-41-7): carcinogen, initial date 10/1/87
- Cadmium (CAS # 7440-43-9): 0.05 µg/day NSRL (inhalation)
- Cadmium (CAS # 7440-43-9): carcinogen, initial date 10/1/87
- Cadmium (CAS # 7440-43-9): developmental toxicity, initial date 5/1/97
- Cadmium (CAS # 7440-43-9): male reproductive toxicity, initial date 5/1/97

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

- Barium Nitrate (CAS # 10022-31-8): Present
- Calcium Carbonate (CAS # 471-34-1): Present
- Sodium Carbonate (CAS # 497-19-8): Present
- Lead (CAS # 7439-92-1): Present
- Nickel (CAS # 7440-02-0): Present
- Silicon (CAS # 7440-21-3): Present
- Thallium (CAS # 7440-28-0): Present
- Antimony (CAS # 7440-36-0): Present
- Arsenic (CAS # 7440-38-2): Present
- Beryllium (CAS # 7440-41-7): Present
- Cadmium (CAS # 7440-43-9): Present
- Copper (CAS # 7440-50-8): Present
- Hydrochloric Acid (CAS # 7647-01-0): Present
- Hydrofluoric Acid (CAS # 7664-39-3): Present
- Nitric Acid (CAS # 7697-37-2): Present
- Water (CAS # 7732-18-5): Present
- Selenium (CAS # 7782-49-2): Present
- Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present
- Tartaric Acid (CAS # 87-69-4): Present



Safety Data Sheet

15.10. United States of America Toxic Substances Control Act (TSCA) List

Barium Nitrate (CAS # 10022-31-8): Present
Calcium Carbonate (CAS # 471-34-1): Present
Sodium Carbonate (CAS # 497-19-8): Present
Lead (CAS # 7439-92-1): Present
Nickel (CAS # 7440-02-0): Present
Silicon (CAS # 7440-21-3): Present
Thallium (CAS # 7440-28-0): Present
Antimony (CAS # 7440-36-0): Present
Arsenic (CAS # 7440-38-2): Present
Beryllium (CAS # 7440-41-7): Present
Cadmium (CAS # 7440-43-9): Present
Copper (CAS # 7440-50-8): Present
Hydrochloric Acid (CAS # 7647-01-0): Present [T]
Hydrofluoric Acid (CAS # 7664-39-3): Present [T]
Nitric Acid (CAS # 7697-37-2): Present
Water (CAS # 7732-18-5): Present
Selenium (CAS # 7782-49-2): Present
Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present
Tartaric Acid (CAS # 87-69-4): Present

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Not listed.

Safety Data Sheet

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Fatal if inhaled. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.

Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or physician. Get medical attention if you feel unwell. Specific treatment is urgent (Wash areas of contact with water immediately). Rinse mouth. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes


Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.
Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 1
Flammability: 0
Reactivity: 0
Special Hazard:



Safety Data Sheet

16.4. Document Revision

Last Revision Date: 5/1/2015

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.